

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	98	(US-20030009527-\$ or US-20040183748-\$ or US-20040196489-\$ or US-20050116033-\$ or US-20060263789-\$ or US-20070017985-\$ or US-20070017987-\$ or US-20070017991-\$ or US-20070018002-\$ or US-20070022045-\$ or US-20070022294-\$ or US-20070050844-\$ or US-20070108285-\$ or US-20080167966-\$ or US-20080270542-\$ or US-20080283593-\$ or US-20080294630-\$ or US-20080301197-\$).did. or (US-5315709-\$ or US-5974474-\$ or US-5434870-\$ or US-5553168-\$ or US-5555256-\$ or US-5564044-\$ or US-5613680-\$ or US-5649183-\$ or US-5684992-\$ or US-5703969-\$ or US-5815595-\$ or US-5815710-\$ or US-5822539-\$ or US-5893910-\$ or US-6041348-\$ or US-6061821-\$ or US-6105130-\$ or US-6135646-\$ or US-6169976-\$ or US-6219652-\$ or US-6333182-\$ or US-6342581-\$ or US-6345244-\$ or US-6410709-\$ or US-6420526-\$ or US-6433139-\$).did. or (US-6448230-\$ or US-6475753-\$ or US-6873982-\$ or US-6886748-\$ or US-6934710-\$ or US-7143359-\$ or US-7172117-\$ or US-7215833-\$ or US-7234060-\$ or US-7364072-\$ or US-7395261-\$ or US-7418466-\$ or US-5371897-\$ or US-6122635-\$ or US-5659164-\$ or US-5797139-\$ or US-5816191-\$ or US-5835723-\$ or US-5983353-\$ or US-6078968-\$ or US-4255653-\$ or US-4456972-\$ or US-4852000-\$ or US-4901004-\$ or US-4990757-\$ or US-5274714-	US-PGPUB; USPAT	OR	OFF	2009/02/27 15:22

		\$ or US-5285411-\$).did. or (US-5296850-\$ or US-5334822-\$ or US-5414841-\$ or US-5430730-\$ or US-5465308-\$ or US-5467472-\$ or US-5493283-\$ or US-5544333-\$ or US-5553230-\$ or US-5563998-\$ or US-5568642-\$ or US-5627524-\$ or US-5632027-\$ or US-5680616-\$ or US-5717940-\$ or US-5731814-\$ or US-5732280-\$ or US-5761293-\$ or US-5774874-\$ or US-5805674-\$ or US-5805860-\$ or US-5892955-\$ or US-5895073-\$ or US-5903904-\$ or US-5991673-\$ or US-6049870-\$ or US-6055596-\$).did.				
S2	98	(US-20030009527-\$ or US-20040183748-\$ or US-20040196489-\$ or US-20050116033-\$ or US-20060263789-\$ or US-20070017985-\$ or US-20070017987-\$ or US-20070017991-\$ or US-20070018002-\$ or US-20070022045-\$ or US-20070022294-\$ or US-20070050844-\$ or US-20070108285-\$ or US-20080167966-\$ or US-20080270542-\$ or US-20080283593-\$ or US-20080294630-\$ or US-20080301197-\$).did. or (US-5315709-\$ or US-5974474-\$ or US-5434870-\$ or US-5553168-\$ or US-5555256-\$ or US-5564044-\$ or US-5613680-\$ or US-5649183-\$ or US-5684992-\$ or US-5703969-\$ or US-5815595-\$ or US-5815710-\$ or US-5822539-\$ or US-5893910-\$ or US-6041348-\$ or US-6061821-\$ or US-6105130-\$ or US-6135646-\$ or US-6169976-\$ or US-6219652-\$ or US-6333182-\$ or US-6342581-\$ or US-6345244-\$ or US-6410709-\$ or US-6420526-\$ or US-6433139-\$).did. or (US-6448230-\$ or US-6475753-\$ or US-6873982-\$ or US-6886748-\$ or US-6934710-	US-PGPUB; USPAT	OR	OFF	2009/02/27 15:26

		\$ or US-7143359-\$ or US-7172117-\$ or US-7215833-\$ or US-7234060-\$ or US-7364072-\$ or US-7395261-\$ or US-7418466-\$ or US-5371897-\$ or US-6122635-\$ or US-5659164-\$ or US-5797139-\$ or US-5816191-\$ or US-5835723-\$ or US-5983353-\$ or US-6078968-\$ or US-4255653-\$ or US-4456972-\$ or US-4852000-\$ or US-4901004-\$ or US-4990757-\$ or US-5274714-\$ or US-5285411-\$).did. or (US-5296850-\$ or US-5334822-\$ or US-5414841-\$ or US-5430730-\$ or US-5465308-\$ or US-5467472-\$ or US-5493283-\$ or US-5544333-\$ or US-5553230-\$ or US-5563998-\$ or US-5568642-\$ or US-5627524-\$ or US-5632027-\$ or US-5680616-\$ or US-5717940-\$ or US-5731814-\$ or US-5732280-\$ or US-5761293-\$ or US-5774874-\$ or US-5805674-\$ or US-5805860-\$ or US-5892955-\$ or US-5895073-\$ or US-5903904-\$ or US-5991673-\$ or US-6049870-\$ or US-6055596-\$).did.				
S3	49	S1 and ((identifier\$1 identification\$1 identify\$3) near5 (computer\$1))	USPAT	OR	OFF	2009/02/27 15:29
S4	7	S1 and ((authenticat\$5 validat\$5) near5 (computer\$1))	USPAT	OR	OFF	2009/02/27 15:30
S5	5	S3 and S4	USPAT	OR	OFF	2009/02/27 15:30
S6	63	S1 and ((identifier\$1 identification\$1 identify\$3) near5 (computer\$1))	US-PGPUB; USPAT	OR	OFF	2009/02/27 15:33
S7	12	S6 and ((authenticat\$5 validat\$5) near5 (computer\$1))	US-PGPUB; USPAT	OR	OFF	2009/02/27 15:34
S8	12	S7 and (@pd<"19990713" or @ad<"19990713" or @rlad<"19990713" or prad<"19990713")	US-PGPUB; USPAT	OR	OFF	2009/02/27 15:36
S9	1	S8 and "705"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2009/02/27 15:36

S10	2	S8 and ((regenerat\$5 recreat\$5 reform\$5 restart \$3 recompos\$6) ((generat \$3 creat\$5 form\$5 start\$3 compos\$3) near2 again))	US-PGPUB; USPAT	OR	OFF	2009/02/27 15:50
S11	0	S8 and (((regenerat\$5 recreat\$5 reform\$5 restart \$3 recompos\$6) ((generat \$3 creat\$5 form\$5 start\$3 compos\$3) near2 again)) same (identifier\$1 identification\$1 identify \$3))	US-PGPUB; USPAT	OR	OFF	2009/02/27 15:53
S12	82538	((identifier\$1 identification \$1 identify\$3) near5 (computer\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 15:54
S13	5017	S12 and ((authenticat\$5 validat\$5) near5 (computer \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 15:54
S14	5017	S13 and (@pd<"19990713" or @ad<"19990713" or @rlad<"19990713" or prad<"19990713")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 15:54
S15	969	S13 and ((regenerat\$5 recreat\$5 reform\$5 restart \$3 recompos\$6) ((generat \$3 creat\$5 form\$5 start\$3 compos\$3) near2 again))	US-PGPUB; USPAT	OR	OFF	2009/02/27 15:55
S16	969	S15 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 15:56
S17	19	S16 and ((regenerat\$5 recreat\$5 reform\$5 restart \$3 recompos\$6) ((generat \$3 creat\$5 form\$5 start\$3 compos\$3) near2 again)). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 15:56
S18	238	S16 and (((regenerat\$5 recreat\$5 reform\$5 restart \$3 recompos\$3) ((generat \$3 creat\$5 start\$3 compos \$3) near2 again)) same (identifier\$1 identification\$1 identify\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:00

S19	2	S18 and (((regenerat\$5 recreat\$5 reform\$5 restart \$3 recompos\$3) ((generat \$3 creat\$5 start\$3 compos \$3) near2 again)) same (identifier\$1 identification\$1 identify\$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:00
S20	15	S18 and (((regenerat\$5 recreat\$5 reform\$5 restart \$3 recompos\$3) ((generat \$3 creat\$5 start\$3 compos \$3) near2 again)) same (identifier\$1 identification\$1 identify\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:05
S21	0	S20 and ((identifier\$1 identification\$1 identify\$3) near11 ("hard drive"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:06
S22	0	S20 and ((identifier\$1 identification\$1 identify\$3) near11 ("hard drive\$1"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:08
S23	22	("20020002678" "5199066" "5677952" "5689561" "5757908" "5892900" "5995624" "6012039" "6061656" "6411943" "6468160"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:08
S24	7	S23 and ((identifier\$1 identification\$1 identify\$3) near5 (computer\$1))	US-PGPUB; USPAT	OR	OFF	2009/02/27 16:08
S25	0	S24 and ((identifier\$1 identification\$1 identify\$3) near11 ("hard drive\$1"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:09
S26	0	S25 and (((regenerat\$5 recreat\$5 reform\$5 restart \$3 recompos\$3) ((generat \$3 creat\$5 start\$3 compos \$3) near2 again)) same (identifier\$1 identification\$1 identify\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:09

S27	283683	((identifier\$1 identification\$1 identify\$3) near5 (computer\$1 device\$1 machine\$1 laptop\$1 pda palm CPU mac pc ((computing personal) near2 client\$1) microcomputer\$1 mini minicomputer\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:19
S28	443	S27 and (((regenerat\$5 recreat\$5 reform\$5 restart\$3 recompos\$3) ((generat\$3 creat\$5 start\$3 compos\$3) near2 again)) same (identifier\$1 identification\$1 identify\$3)) .ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:19
S29	511	S27 and (((regenerat\$5 recreat\$5 reform\$5 restart\$3 recompos\$3) ((generat\$3 creat\$5 start\$3 compos\$3) near2 again)) same (identifier\$1 identification\$1 identify\$3)) .clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:20
S30	79	S28 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:20
S31	79	S30 and (@pd<"19990713" or @ad<"19990713" or @rlad<"19990713" or prad<"19990713")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:20
S32	3	S31 and ((authenticat\$5 validat\$5) near5 (computer\$1 device\$1 machine\$1 laptop\$1 pda palm CPU mac pc ((computing personal) near2 client\$1) microcomputer\$1 mini minicomputer\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:21
S33	6387	S27 and (((regenerat\$5 recreat\$5 reform\$5 restart\$3 recompos\$3) ((generat\$3 creat\$5 start\$3 compos\$3) near2 again)) same (identifier\$1 identification\$1 identify\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:26

S34	1015	S33 and ((authenticat\$5 validat\$5) near5 (computer \$1 device\$1 machine\$1 laptop\$1 pda palm CPU mac pc ((computing personal) near2 client\$1) microcomputer\$1 mini minicomputer\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:26
S35	1015	S34 and (@pd<"19990713" or @ad<"19990713" or @rlad<"19990713" or prad<"19990713")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:26
S36	221	S35 and (hard adj drive\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:30
S37	0	S36 and ((identifier\$1 identification\$1 identify\$3) near11 ("hard drive\$1"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:31
S38	36	S36 and ((identifier\$1 identification\$1 identify\$3) near11 (physical\$2 geometry))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:32
S39	0	S36 and ((identifier\$1 identification\$1 identify\$3) near11 (physical\$2 geometry)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:32
S40	8	S36 and ((identifier\$1 identification\$1 identify\$3) near11 (physical\$2 geometry)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:34
S41	8	S36 and ((identifier\$1 identification\$1 identify\$3) near11 (physical\$2 geometry)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 16:45

S42	69396	"705"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 17:44
S43	7034	"705"/14.ccls.	US-PGPUB; USPAT	OR	OFF	2009/02/27 17:44
S44	67049	"705"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2009/02/27 17:44
S45	96	reauthenticat\$4 with (log\$4 connect\$4)	US-PGPUB; USPAT	OR	OFF	2009/02/27 18:35
S46	96	S45 and (@pd<"19990713" or @ad<"19990713" or @rlad<"19990713" or prad<"19990713")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 18:35
S47	96	S45 and (@pd<"19990713" or @ad<"19990713" or @rlad<"19990713" or prad<"19990713")	US-PGPUB; USPAT	OR	OFF	2009/02/27 18:36
S48	96	S45 and (@pd<"19990713" or @ad<"19990713" or @rlad<"19990713" or prad<"19990713")	US-PGPUB; USPAT	OR	OFF	2009/02/27 18:42
S49	103	reauthenticat\$4 with (log\$4 connect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 18:42
S50	96	S49 and (@pd<"19990713" or @ad<"19990713" or @rlad<"19990713" or prad<"19990713")	US-PGPUB; USPAT	OR	OFF	2009/02/27 18:43
S51	15	S49 and @ad<"19990713"	US-PGPUB; USPAT	OR	OFF	2009/02/27 18:44
S52	1	S51 and ((identifier\$1 identification\$1 identify\$3) near11 (physical\$2 geometry))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 18:57
S53	14	S50 and ((identifier\$1 identification\$1 identify\$3) near11 (physical\$2 geometry))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 18:59

S54	0	S50 and ((identifier\$1 identification\$1 identify\$3) near11 ("hard drive\$1"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 19:00
S55	0	S50 and ((identifier\$1 identification\$1 identify\$3) near11 ("serial number \$1"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 19:01
S56	0	S50 and ((identifier\$1 identification\$1 identify\$3) near11 (platter\$1 sector\$1 cylinder\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 19:04
S57	13	S53 and ((physical geometry "serial number\$1 ") near5 (computer\$1 device \$1 machine\$1 laptop\$1 pda palm CPU mac pc ((computing personal) near2 client\$1) microcomputer\$1 mini minicomputer\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 19:09
S58	103	reauthenticate\$4 with (log\$4 connect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 22:26
S59	10017242	S58 no (password\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/27 22:27

3/ 1/09 9:35:45 AM

C:\Documents and Settings\Kle2\My Documents\EAST\Workspaces\10030727 NF to RCE.wsp